










## THE HOME OR OFFICE ALL-IN-ONE FOR ANY WAY YOU WORK

When you need a compact home office printer that can handle all your work needs, the PIXMA TR8620a has you covered. With front and rear paper feeding, a 5-Individual Ink System, 4.3" LCD Touchscreen, and impressive wired and wireless<sup>5</sup> connectivity options, you'll be able to do it all. The PIXMA TR8620a can easily transition from scanning a multi-page contract with the built-in Auto Document Feeder to printing double-sided homework assignments from online classrooms systems, or a family photo wirelessly from your smartphone. Whether it's printing documents and reports, or faxing and scanning, the PIXMA TR8620a is the ultimate compact home office printer that's big on performance and productivity.

### CORE FEATURES

 <p><b>Compact Size</b></p> <p>The PIXMA TR8620a fits into almost any space with its <b>SLEEK COMPACT SIZE</b></p>	 <p><b>4.3" LCD Touch</b></p> <p>Large <b>4.3" LCD TOUCHSCREEN</b> for an easy user interface experience</p>	 <p><b>Fax ADF</b></p> <p>With a built in <b>FAX</b> and a <b>20 SHEET ADF</b> the PIXMA TR8620a is ready to work</p>	
 <p><b>Auto 2-sided Print</b></p> <p>Built in <b>AUTO DUPLEX PRINTING</b> for convenience &amp; paper savings</p>	 <p><b>Front / Rear Paper Feeding</b></p> <p><b>VERSATILE PAPER SUPPORT</b> holds plain &amp; photo papers simultaneously.</p>	 <p><b>5 Individual Inks</b></p> <p>With a <b>FIVE INDIVIDUAL INK SYSTEM</b>, only replace the ink that runs out</p>	 <p><b>Wireless Printing Ethernet</b></p> <p>Supports multiple users through <b>WI-FI®</b> or networked <b>ETHERNET</b> connection<sup>5</sup></p>

### EFFICIENT FOR THE HOME OFFICE

The TR8620a fits into both a home and work environment with features like a built-in 20-sheet ADF and Auto Duplex Printing to keep life and work moving. It's also easy to setup so you can get to work from your smartphone and computer quickly.

### CONNECTIVITY & CONVENIENCE

Connect your smartphone, tablet and all your favorite mobile devices with ease! Print hassle free wirelessly<sup>5</sup> or through USB or networked Ethernet connection.

### COMPACT & SIMPLE TO USE

The TR8620a is a compact Wireless Home Office All-In-One that fits perfectly anywhere in the home or office, is simple to use, and delivers outstanding results every time.

### QUALITY & VERSATILITY

With a 5-Color Individual Ink System and front & rear paper feeding, the PIXMA TR8620a prints high quality documents, photos, and more on a variety of paper types.

## TECHNICAL SPECIFICATIONS 1 OF 2

### PRINT

<b>Print Features</b>	AirPrint <sup>®</sup> , Auto 2-Sided (Duplex) Printing, Document Printing, Photo Printing, Wireless Printing <sup>5</sup> , Mobile Device Printing, Borderless Printing <sup>11</sup> , Mopria <sup>®</sup> Print Service <sup>9</sup> , Wireless PictBridge <sup>13</sup> , Business Card Printing, Label Printing, Direct Photo Printing (Memory Card <sup>1</sup> and Camera), Square Media Printing Support, Fine Art and Double-sided Matte Paper Support, Smartphone Auto Photo Correction, Built-in Template printing, Black/Color Ink Only Printing
<b>Printing Capability</b>	Auto 2-Sided (Duplex) Printing & Single Sided (Simplex) Printing, Borderless <sup>11</sup> Printing (3.5" x 3.5" to 8.5" x 11")
<b>Print Speed (ESAT)<sup>14</sup></b>	<b>Black Document (Letter) Simplex:</b> Approx. 15.0 ipm <b>Color Document (Letter) Simplex:</b> Approx. 10.0 ipm <b>4" x 6" Borderless<sup>11</sup> Photo (PP-201):</b> Approx. 37 Seconds
<b>Print Resolution<sup>15</sup></b>	Up to 4800 x 1200 dpi
<b>Number of Nozzles</b>	Color: 3,072 / Pigment Black: 1,024 / <b>Total: 4,096</b>
<b>Duty Cycle &amp; Print Volume</b>	Up to 1,000 Pages / Month
<b>Media Handling</b>	Front Paper Cassette, Rear Paper Tray
<b>Supported Paper / Media Sizes</b>	3.5" x 3.5" (Square), 4" x 6", 5" x 5" (Square), 5" x 7", 7" x 10", 8" x 10", Letter (8.5" x 11"), Legal (8.5" x 14"), U.S. #10 Envelopes, Card Size (91 mm x 55 mm)
<b>Canon Paper / Media Compatibility</b>	<b>Plain:</b> Plain Paper, Canon High Resolution Paper; <b>Super High Gloss:</b> Photo Paper Pro Platinum; <b>Glossy:</b> Photo Paper Plus Glossy II, Photo Paper Glossy; <b>Semi-Gloss:</b> Photo Paper Plus Semi-Gloss, Photo Paper Pro Luster; <b>Matte:</b> Matte Photo Paper <b>Fine Art:</b> Premium Fine Art Rough <b>Other:</b> Cardstock, Greeting Cards, Magnetic Photo Paper, Restickable Photo Paper, T-Shirt/Iron-On Transfers, U.S. #10 Envelopes, Recycled paper and Chlorine-free paper can be used
<b>Paper Capacity</b>	<b>Total Paper Capacity:</b> 200 Sheets (Plain Paper) (Front Cassette & Rear Tray) <b>Front Paper Cassette:</b> 100 Sheets of Plain Paper <b>Rear Paper Tray:</b> 100 Sheets of Plain Paper <b>OR</b> 20 Sheets 4" x 6"
<b>Supported Media Thickness / Weight</b>	<b>Front Paper Cassette:</b> <b>Plain Paper:</b> 64 - 105 gsm <b>Rear Paper Tray:</b> <b>Plain Paper:</b> 64 - 105 gsm <b>OR Canon Paper:</b> Max. approx. 300 gsm (Canon PT-101 Media)

### COPY

<b>Copy Features</b>	4-on-1 / 2-on-1 Copy, Auto Document Feeder (ADF), Auto Exposure Copy, 2-sided Copy, Borderless <sup>11</sup> Copy, Collated Copy (ADF Only), Document Copy, Document Removal Reminder, Fit-to-Page, Frame Erase Copy (Flatbed Only), ID Card Copy, Manual 2-Sided Copy with ADF, Multiple Copy (Up To 99 Pages), Copy Preview, Photo Copy, Auto Photo Fix, Photo Fade Restoration, Preset Copy Ratios, Reduction / Enlargement Copy (25% - 400%), Standard Copy
<b>Copy Speed<sup>14</sup></b>	<b>Color Document (Letter/Simplex/FCOT):</b> Approx. 17 Seconds <b>Color Document (Letter/Simplex/ESAT):</b> Approx. 6.8 ipm <b>Color Document (Letter/Simplex/ESAT):</b> Approx. 5.2 ipm (from ADF) <b>Black Document (Letter/Simplex/ESAT):</b> Approx. 14.1 ipm (from ADF)
<b>Maximum Document Size</b>	8.5" x 11.7" (A4 / Letter)

### SCAN & ADF

<b>Scan Features</b>	Auto Document Feeder (ADF), Document Scanning, Photo Scanning, Wireless Scanning <sup>5</sup> , Scan to Canon PRINT app <sup>7</sup> , Scan Multi-Page PDF, Save to PC, Attach to Email, Save to Memory Card <sup>1</sup> (JPEG, TIFF, compact PDF), Auto Scan Mode <sup>18</sup> , Document Removal Reminder, Manual 2-Sided Scan, Network Scan, Auto-crop, Descreen, Reduce Show-through
<b>Scanning Capability</b>	Single Sided (Simplex) Scanning
<b>Scanner Type</b>	Flatbed & ADF (Auto Document Feeder)
<b>Scanning Method</b>	Contact Image Sensor (CIS)
<b>Scanning Resolution<sup>16</sup></b>	Max. 1200 x 2400 dpi (Optical)
<b>Maximum Color Scanning Bit Depth</b>	<b>Grayscale:</b> 16-bit / 8-bit <b>Color:</b> 16-bit / 8-bit Per Color
<b>Maximum Document Size</b>	<b>Flatbed:</b> 8.5" x 11.7" (A4 / Letter) <b>ADF:</b> 8.5" x 14.0" (Legal)
<b>ADF Capacity</b>	20 Sheets of Letter Size Plain Paper / 5 Sheets of Legal Size Plain Paper

## TECHNICAL SPECIFICATIONS 2 OF 2

FAX & SEND	GENERAL
<b>Fax Features</b> Answering Machine Connectivity, Caller Rejection, Check RX Fax Info., Dial Search, Fax Number Re-Entry, Fax Reception Reject, Memory Transmission, Redial, Remote Reception	<b>CONNECTIVITY</b> Hi-Speed USB Ethernet PictBridge (LAN/Wireless LAN <sup>13</sup> ) Wi-Fi* (Wireless LAN, 2.4 / 5.0 GHz, IEEE 802.11b/g/n) <sup>5</sup> Memory Card Slot <sup>1</sup>
<b>Fax Resolution</b> Standard Black & White: Fine, Extra Fine	<b>WIRELESS INFORMATION</b> <b>Standard:</b> IEEE 802.11 b/g/n <b>Security:</b> WEP64/128, WPA-PSK (TKIP / AES), WPA2-PSK (TKIP / AES) <b>Wireless LAN Frequency Band(s):</b> 2.4 GHz / 5.0 GHz <b>Wireless Direct Connection Capable/ Wireless Connect<sup>6</sup> Capable:</b> Yes
<b>Modem Speed<sup>2</sup></b> Up to 33.6 Kbps (Super G3 Color Fax)	<b>SD MEMORY CARD SUPPORT<sup>1</sup></b> SD <sup>TM</sup> , SDHC <sup>TM</sup> , SDXC <sup>TM</sup> , miniSD <sup>TM</sup> , miniSDHC <sup>TM</sup> , microSD <sup>TM</sup> , microSDHC <sup>TM</sup> , microSDXC <sup>TM</sup>
<b>Transmission Speed<sup>3</sup></b> <b>Black Document:</b> Approx. 3 Seconds Per Page <b>Color Document:</b> Approx. 60 Seconds Per Page	<b>DISPLAY</b> 4.3" LCD Touchscreen
<b>Memory Capacity<sup>4</sup></b> Approx. 250 Pages	<b>SMART ASSISTANT SUPPORT<sup>21</sup></b> Amazon Alexa <sup>TM</sup> , Google Assistant <sup>TM</sup>
<b>Automatic Dialing</b> <b>Directory:</b> max. 100 Locations <b>Group Dialing:</b> max. 99 Locations	<b>OS COMPATIBILITY</b> <b>Windows:</b> <sup>22</sup> Windows <sup>®</sup> 10, Windows 8.1, Windows 7 SPI; <b>Mac:</b> <sup>23</sup> macOS 10.12.6 – 10.15 (Catalina) <b>Chromebook<sup>®</sup> Compatible<sup>19</sup>, Mobile Operating Systems:</b> <sup>24</sup> iOS <sup>®</sup> , Android <sup>TM</sup> , Windows 10 Mobile
<b>Fax Max. Print Size</b> 8.5" x 14.0" (Legal)	<b>MOBILE PRINTING SOLUTIONS &amp; APPS (iOS<sup>®</sup> / ANDROID<sup>TM</sup>)</b> AirPrint <sup>®8</sup> , Mopria <sup>®9</sup> , Canon PRINT app <sup>7</sup> , Easy PhotoPrint Editor App <sup>10</sup> , Canon Print Service <sup>20</sup> (Android Only), PIXMA Cloud Link <sup>7</sup> , PIXMA Chat Print <sup>12</sup> , Canon Creative Park App <sup>26</sup> , Canon Print Plug-In (Amazon Fire) <sup>25</sup>
<b>PC Fax / Send</b> Available on Windows and Mac Black & White Transmission Only Destination: 1 Location	<b>SOFTWARE (WINDOWS<sup>22</sup> / MAC<sup>23</sup>)</b> PIXMA TR8620a Driver, Easy-PhotoPrint Editor Software <sup>10</sup> , PosterArtist Lite Software <sup>27</sup>
<b>INK INFORMATION</b>	<b>GENERAL FEATURES</b> 4.3" LCD Touchscreen, 5-Color Individual Ink System, Print/Scan/Copy/FAX, Auto Power On / Off, Quiet Mode, Wireless Direct Connection, QR Code Direct Connection, Wireless Connect Button <sup>6</sup> , Auto Paper Width Detection, Auto Print Head Alignment, Automatic Replenishment System (ARS) Capable
<b>INK TYPE</b> PGI-280 Pigment Black Ink CLI-281 Dye Based Inks	<b>SUPPORTED LANGUAGES</b> <b>33 Supported Languages:</b> Bulgarian, Chinese (Simplified), Chinese (Traditional), Croatian, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Greek, Hungarian, Indonesian, Italian, Japanese, Korean, Latvian, Lithuanian, Norwegian, Polish, Portuguese, Romanian, Russian, Slovakian, Slovene, Spanish, Swedish, Thai, Turkish, Ukrainian, Vietnamese
<b>INK TANK &amp; FILL VOLUME</b> PGI-280 PGBK 11.2 ml (Std.)   18.5 ml (XL)   25.7 ml (XXL) CLI-281 BK, C, M, Y 5.6 ml (Std.)   8.3 ml (XL)   11.7 ml (XXL)	<b>POWER INFORMATION</b> <b>Energy Efficiency:</b> Energy Star <sup>®</sup> Certified <b>Auto Power On / Off Capable:</b> Yes <b>Input Voltage:</b> AC 100 – 240 V, 50 / 60 Hz <b>Power Consumption:</b> 15W (1.3W Standby / 0.3W Off) <b>TEC (Typical Electricity Consumption):</b> 0.2 kWh
<b>PRINT LONGEVITY</b> The ChromaLife100 System <sup>17</sup> protects your photos from fading up to: <ul style="list-style-type: none"> <li>• 100 Years Album Life, or</li> <li>• 30 Years Behind Glass (Light Fastness), or</li> <li>• 20 Years Without The Glass (Gas Fastness)</li> </ul>	<b>SOUND MANAGEMENT</b> <b>Quiet Mode:</b> Available <b>Noise Level:</b> Approx. 45.5 dB(A) (Plain Paper)
	<b>WARRANTY<sup>28</sup></b> <b>1-Year Limited Warranty</b> with InstantExchange Program
	<b>BOX CONTENTS</b> PIXMA TR8620a Wireless Home Office All-in-One Printer Documentation Set of Standard Ink Tanks (PGBK, BK, C, M, Y, PB) RJ-11 Telephone/Modem Cords Power Cord











**HARDWARE ORDERING INFORMATION**

MODEL NUMBER	DESCRIPTION	ITEM NUMBER	UPC CODE
PIXMA TR8620a *	Wireless Home Office All-In-One Printer	4451C032AA	013803 348323

**CONSUMABLE ORDERING INFORMATION**

COMPATIBLE INK	DESCRIPTION	ITEM NUMBER	UPC CODE
PGI-280 PGBK XXL*	XXL Pigment Black Ink Tank	1967C001[AA]	0 13803 28726 4
CLI-281 BK XXL*	XXL Black Ink Tank	1983C001[AA]	0 13803 28733 2
CLI-281 C XXL*	XXL Cyan Ink Tank	1980C001[AA]	0 13803 28730 1
CLI-281 M XXL*	XXL Magenta Ink Tank	1981C001[AA]	0 13803 28736 3
CLI-281 Y XXL*	XXL Yellow Ink Tank	1982C001[AA]	0 13803 28743 1
PGI-280 PGBK XL*	XL Pigment Black Ink Tank	2021C001[AA]	0 13803 28749 3
CLI-281 BK XL*	XL Black Ink Tank	2037C001[AA]	0 13803 28755 4
CLI-281 C XL*	XL Cyan Ink Tank	2034C001[AA]	0 13803 28760 8
CLI-281 M XL*	XL Magenta Ink Tank	2035C001[AA]	0 13803 28765 3
CLI-281 Y XL*	XL Yellow Ink Tank	2036C001[AA]	0 13803 28774 5
PGI-280 PGBK*	Pigment Black Ink Tank	2075C001[AA]	0 13803 28779 0
CLI-281 BK*	Black Ink Tank	2091C001[AA]	0 13803 28785 1
CLI-281 C*	Cyan Ink Tank	2088C001[AA]	0 13803 28787 5
CLI-281 M*	Magenta Ink Tank	2089C001[AA]	0 13803 28789 9
CLI-281 Y*	Yellow Ink Tank	2090C001[AA]	0 13803 28795 0

## ORDERING INFORMATION CONT.

COMPATIBLE INK PACKS	DESCRIPTION	ITEM NUMBER	UPC CODE
 PGI-280 XL / CLI-281 / PP-301 Combo*	PGI-280XL PGBK / CLI-281 CMY / 50 Sheets PP-301 Combo Pack	2021C006[AA]	 6 60685 17425 2
 CLI-281 XL BKCMY 4 Pack*	CLI-281 XL BKCMY 4 Color Value Pack	2037C005[AA]	 6 60685 17427 6
 CLI-281 BKCMY 4 Pack*	CLI-281 BKCMY 4 Color Value Pack	2091C005[AA]	 6 60685 17426 9
 PGI-280 XL / CLI-281 5 Color Pack*	PGI-280 XL / CLI-281 5 Color Value Pack	2021C007[AA]	 6 60685 17428 3
 PGI-280 / CLI-281 5 Color Pack*	PGI-280 / CLI-281 5 Color Value Pack	2075C006[AA]	 6 60685 19775 6

**\* TSCA INFORMATION**  
TSCA Sec. 4,5,6,7,8,12b  
This product contains substances which are subject to TSCA Section 5(e) Consent Order. Do not use this product other than as inkjet printer ink. Do not release this product into the waters of the United States. This product is subject to TSCA Section 12(b) export notification requirements. If you need more information about the TSCA Section 12(b), please contact Canon U.S.A., Inc.

ORIGIN	
Country of Origin	Thailand
Tariff Number	8443310000
PRINTER INFORMATION	
Printer Dimensions (Closed)	17.3" (W) x 13.8" (D) x 7.5" (H)
Printer Dimensions (Paper Installed)	17.3" (W) x 14.4" (D) x 7.5" (H)
Printer Weight	17.4 lbs.
PRINTER BOX INFORMATION	
Printer Box Dimensions <sup>29</sup>	20.2" (W) x 10.4" (D) x 20.6" (H)
Printer Box Weight	21.5 lbs.
DATE	
Announcement Date & Time	n/a
Availability	April 2022

PALLET INFORMATION	
Number of Printers per Layer	8
Number of Layers per Pallet	2
Total Number of Printers per Pallet	16
Dimensions (Pallet & Printers)	48.0" (W) x 40" (D) x 46.8" (H)
Loaded Pallet Weight	343.2 lbs.



©2022 Canon U.S.A., Inc. Canon and PIXMA are registered trademarks of Canon Inc. in the U.S. and may be registered trademarks or trademarks in other countries. Microsoft, Windows, the Windows logo and Internet Explorer are trademarks or registered trademarks of the Microsoft group of companies in the U.S. and other countries. Apple, AirPrint, iPad, iPhone, iPod touch and Time Capsule are registered trademarks of Apple Inc. Android, Google Assistant, and Google Play are trademarks of Google Inc. The Mopria logo is a trademark of Mopria Alliance, Inc. Amazon, Alexa, Fire, and all related logos are trademarks of Amazon.com, Inc. or its affiliates. Wi-Fi is a registered trademark of the Wi-Fi Alliance. The 'Wi-Fi CERTIFIED' logo is a certification mark of the Wi-Fi Alliance. All other product and brand names are trademarks of their respective owners. As an ENERGY STAR® partner, Canon U.S.A., Inc. has certified this product as meeting the ENERGY STAR® energy efficiency criteria through an EPA-recognized certification body.

**DISCLAIMERS:****SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL VIEWSCREEN AND OUTPUT IMAGES ARE SIMULATED.**

1. Compatible memory cards include SD™ Card, SDHC™ Card. The following can be used with the addition of a special adapter sold separately: miniSD™ Card, miniSDHC™ Card, microSD™ Card, microSDHC™ Card, microSDXC™ Card. Supported File Formats include: JPEG and TIFF (Exif-compliant) taken by DCF(Ver.1.0/2.0) compliant digital cameras. (Exif ver.2.2/2.21/2.3 compliant).
2. The Public Switched Telephone Network currently supports fax modem speeds of 28.8 Kbps or lower, depending on telephone line conditions. Sending and receiving fax machines need to conform to ITU-T v.34 guidelines.
3. Black & white document fax transmission speed is based on default setting using ITU-T No.1 chart. Color document fax transmission speed is based on default setting using Canon Color Fax Test Sheet. Actual transmission speed varies depending on document complexity, fax setting at receiving end, and line conditions etc.
4. Page count is based on ITU-T No.1 chart or Canon FAX Standard Chart No.1. The number of pages able to be kept in memory will vary based on remaining memory capacity and document complexity.
5. Wireless printing and scanning requires a working network with wireless 802.11b/g/n capability, operating at 2.4GHz or 5.0GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
6. Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup.
7. Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone, and iPod touch devices running iOS 12.0 or later, and Android™ mobile devices running Android 4.4 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n capability as your printer. Requires a compatible social media account and is subject to that social media account's Terms of Service. Certain exceptions may apply.
8. AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
9. Requires Android™ mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 or later mobile devices with a download of the Mopria Print Service from Google Play.
10. The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
11. Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer and Photo Stickers. The maximum borderless printing size is 8.5"x11".
12. This feature requires the printer to be connected with permission to the Canon Inkjet Cloud Printing Center (CICPC), an Internet connection, active 3rd party (social network or Cloud Storage) account, and a compatible Canon inkjet printer. Certain exceptions may apply.
13. DPS over IP compatible device required.
14. Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734. Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc. Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time. See [www.usa.canon.com/ipm](http://www.usa.canon.com/ipm) for additional details.
15. Resolution may vary based on printer driver setting. Color ink droplets can be placed with a horizontal pitch of 1/4800 inch at minimum.
16. Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
17. Based on accelerated testing by Canon in dark storage under controlled temperature, humidity and gas conditions, simulating storage in an album with plastic sleeves. Canon cannot guarantee the longevity of prints; results may vary depending on printed image, drying time, display/storage conditions, and environmental factors. See [www.usa.canon.com/chromalife100](http://www.usa.canon.com/chromalife100) for additional details.
18. Auto Scan Mode is only available when scanning using a computer using the "IJ Scan Utility" or "IJ Scan Utility Lite" software.
19. Functions and features may vary by printer model. Scanning requires Chrome OS 89 or later.
20. Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 - v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.
21. Requires an active smart assistant account linked and accompanying app enabled, the smart device and printer to be actively connected with permission to the Canon Inkjet Cloud Printing Center, and the required action(s), skill(s), or applet(s) available/enabled to the compatible printer. Voice commands can not be displayed as text on Amazon smart devices with screens.
22. Operation can only be guaranteed on a PC with pre-installed Windows 10, Windows 8.1, Windows 7 SP1.
23. Internet Connection required during software installation. For full compatibility macOS v10.12.1 or later is recommended.
24. Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.
26. Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play. Requires an active 'Canon ID' available for free, and subject to 'Canon ID' Terms of Service. Visit [myid.canon](http://myid.canon) for more information. Certain exceptions may apply.
27. PosterArtist Lite software v3X is compatible with 64/32 bit versions of Microsoft® Windows® 10, Windows 8.1, Windows 7 and only compatible with select Canon PIXMA (released after July 2015), MAXIFY, imagePROGRAF and Océ printers. Minimum computer system requirements: Pentium4 2.8Ghz CPU or higher with 1GB RAM, 1024x768 pixel display and 5GB of system hard drive space.
28. Warranty programs are subject to certain conditions and restrictions. See [www.usa.canon.com/support](http://www.usa.canon.com/support) for details.
29. Product box dimensions measured in vertical box configuration.