

Office Product Guide

Xerox® Printers and Multifunction Printers for Your Business

xerox

Color Printers

LETTER





ConnectKey® Technology



ConnectKey® Technology



ConnectKey® Technology



	Xerox® Phaser® 6022	Xerox® Phaser® 6510	Xerox® VersaLink® C400	Xerox® VersaLink® C500	Xerox® VersaLink® C600
Performance Print Speed (up to)	18 ppm color 18 ppm black	30 ppm color 30 ppm black	36 ppm color 36 ppm black	45 ppm color 45 ppm black	55 ppm color 55 ppm black
First-page-out Time	As fast as 13 seconds color	As fast as 12 seconds color	As fast as 13 seconds color	As fast as 10 seconds color	As fast as 8 seconds color
Memory (std / max)	256 MB / 256 MB	1 GB / 1 GB	2 GB / 2 GB	2 GB / 2 GB	2 GB / 2 GB
Processor	525 MHz	733 MHz	1.05 GHz Dual-core	1.05 GHz Dual-core	1.05 GHz Dual-core
Duty Cycle (max)	30,000 pages/month	50,000 pages/month	80,000 pages/month	120,000 pages/month	120,000 pages/month
Recommended Monthly Print Volume	Up to 1,500 pages	Up to 3,000 pages	Up to 5,000 pages	Up to 8,000 pages	Up to 15,000 pages
Print Quality Print Resolution (max)	1200 x 2400 dpi enhanced image quality	1200 x 2400 dpi	600 x 600 x 8 dpi (enhanced)	1200 x 2400 dpi	1200 x 2400 dpi
Paper Handling Two-sided Output	Manual	Automatic[1]	Automatic[1]	Automatic[1]	Automatic[1]
Paper Input (std / max)	150 / 150 sheets	300 / 850 sheets	700 / 1,250 sheets	700 / 3,250 sheets	700 / 3,250 sheets
Paper Output (std / max)	100 sheets	150 sheets	250 sheets	500 sheets	500 sheets
Media Sizes	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.
Media Weights	60-163 gsm	60-220 gsm	60-220 gsm	60-220 gsm	60-220 gsm
Networking Connectivity	10/100Base-TX Ethernet, Wi-Fi b/g/n, Wi-Fi Direct, High speed USB 2.0	10/100/1000Base-T Ethernet, Wi-Fi 802.11n[1], Wi-Fi Direct[1], USB 3.0	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair
Page Description Languages	PostScript 3 compatible, PCL® 5c, 6, PDF Direct	Adobe® PostScript® 3™, PCL® 5e, 6, PDF, TIFF	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3
Productivity Options[1]		550-sheet tray, Wireless Network Adapter	550-sheet tray, Stand, Wireless Network Adapter, Productivity Kit with 320 GB HDD, RFID Kit	Up to four 550-sheet trays, High Capacity Feeder, Cabinet, Casters, Wireless Network Adapter, Productivity Kit with 250 GB HDD, RFID Kit	Up to four 550-sheet trays, High Capacity Feeder, Cabinet, Casters, Wireless Network Adapter, Productivity Kit with 250 GB HDD, RFID Kit, Finisher, Mailbox
Color Standards	PANTONE® Color calibrated, Color Correction	PANTONE Color calibrated, Xerox® Color Corrections**	PANTONE Color calibrated, Xerox® Color Corrections**	PANTONE Color calibrated, Xerox® Color Corrections**	PANTONE Color calibrated, Xerox® Color Corrections**
Print Technology	Hi-Q LED	Single-pass color LED	Single-pass color laser	Single-pass color laser	Single-pass color laser
Warranty	One-year quick-exchange, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee

[1] Standard on certain configurations or available as an option.
* Hard drive enables additional functionality including Personal/Proof/Secure/Saved print and collation printing.
** Xerox® Color Corrections: Automatic, SWOP, Euroscale, Commercial Press, SNAP Press, Japan Color, ISO Coated, ISO Uncoated, sRGB Display, sRGB Vivid, LCD Display.

Color Printers (cont'd)

TABLOID







	Xerox® VersaLink® C7000	Xerox® Phaser® 7500	Xerox® Phaser® 7800
Performance Print Speed (up to)	35 ppm color / 35 ppm black	35 ppm color / 35 ppm black	45 ppm color / black
First-page-out Time	As fast as 7.6 seconds color	As fast as 7 seconds color	As fast as 9 seconds color
Memory (std / max)	2 GB / 2 GB	512 MB / 2 GB	2 GB / 2 GB
Processor	1.05 GHz Dual-core	1 GHz	1.33 GHz
Duty Cycle (max)	Up to 153,000 pages/month	150,000 pages/month	225,000 pgs/mo
Recommended Monthly Print Volume	Up to 10,000 pages	Up to 15,000 pages	Up to 30,000 pages
Print Quality Print Resolution (max)	1200 x 2400 dpi	1200 x 1200 dpi	1200 x 2400 dpi
Paper Handling Two-sided Output	Automatic[1]	Automatic[1]	Automatic
Paper Input (std / max)	620 / 2,180 sheets	600 / 2,100 sheets	620 / 3,140 sheets
Paper Output (std / max)	500 sheets	400 sheets	500 / 2,250 sheets
Media Sizes	3.5 x 3.9 to 11.7 x 17 in.	3.5 x 3.9 to 12.6 x 47.2 in.	3.5 x 3.9 to 12.6 x 48 in.
Media Weights	60-256 gsm	67-280 gsm	75-350 gsm
Networking Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi and Wi-Fi Direct with optional Wi-Fi Kit, NFC Tap-to-Pair	10/100/1000 Base-TX Ethernet, USB 2.0	Ethernet 10/100/1000Base-T, USB 2.0, optional external wireless 802.11 b, g, n
Page Description Languages	PCL 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe PostScript 3	Adobe PostScript 3, PCL 5c emulation	Adobe PostScript 3, PCL 6/5c, Adobe PDF-Direct version 1.6
Productivity Options[1]	320 GB HDD (optional on Desktop model), Single Tray Module, Single Tray Module with Stand, Three Tray Module, Envelope Tray, Integrated Office Finisher, Wi-Fi Direct with Optional Wireless Adapter, RFID Kit	Productivity Kit with hard drive*, 500-sheet tray, 1,500-sheet feeder, Wireless Network Adapter	3 Tray Module, High Capacity Tandem Tray, Office Finisher LX with optional hole punch and optional booklet maker, Professional Finisher, Extra Heavy Duty Media Kit, Xerox® PhaserMatch® 5.0, Wireless Network Adapter
Color Standards	Automatic Color, ICC profile, Color Adjustments, (Lightness, Contrast/Saturation/Color Sliders)	PANTONE Color calibrated, Xerox® Color Corrections**, Color by Words, ICC profile, ColorSync	PANTONE calibrated solid-color simulations, Adobe PostScript device-independent color, CIE International Color Standards, and support for ICC, ICM and ColorSync Color Management Systems, Xerox® PhaserMatch® 5.0, Xerox® PhaserCal®
Print Technology	Single-pass color LED	Single-pass color LED	Hi-Q LED
Warranty	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee

[1] Standard on certain configurations or available as an option.

* Hard drive enables additional functionality including Personal/Proof/Secure/Saved print and collation printing.

** Xerox® Color Corrections: Automatic, SWOP, Euroscale, Commercial Press, SNAP Press, Japan Color, ISO Coated, ISO Uncoated, sRGB Display, sRGB Vivid, LCD Display.

Black-and-white Printers

LETTER

TABLOID












	Xerox® Phaser® 3260	Xerox® Phaser® 3330	Xerox® Phaser® 3610	Xerox® VersaLink® B400	Xerox® VersaLink® B600	Xerox® VersaLink® B610	Xerox® Phaser® 5550
Performance Print Speed (up to)	29 ppm	42 ppm	47 ppm	47 ppm	58 ppm	65 ppm	50 ppm
First-page-out Time	As fast as 8.5 sec.	As fast as 6.5 sec.[2]	As fast as 6.5 sec.	As fast as 8 sec.	As fast as 6.3 sec.	As fast as 7.1 sec.	As fast as 6.5 sec.
Memory (std / max)	256 MB	512 MB	512 MB / 1 GB	2 GB / 2 GB	2 GB / 2 GB	2 GB / 2 GB	256 MB / 1 GB
Processor	600 MHz	1 GHz	400 MHz	1.05 GHz Dual-core	1.05 GHz Dual-core	1.05 GHz Dual-core	500 MHz
Duty Cycle (max)	30,000 pgs/mo	80,000 pgs/mo	110,000 pgs/mo	110,000 pgs/mo	250,000 pgs/mo	275,000 pgs/mo	300,000 pgs/mo
Recommended Monthly Print Volume	Up to 4,000 pages	Up to 6,000 pages	Up to 12,000 pages	Up to 12,000 pages	Up to 20,000 pages	Up to 25,000 pages	Up to 50,000 pages
Print Quality Print Resolution (max)	600 x 600 dpi (Up to 4800 x 600 enhanced image quality)	Up to 1200 x 1200 dpi image quality	1200 x 1200 dpi	1200 x 1200 dpi (enhanced)	1200 x 1200 dpi	1200 x 1200 dpi	1200 x 1200 dpi
Paper Handling Two-sided Output	Automatic	Automatic	Automatic[1]	Automatic[1]	Automatic	Automatic	Automatic[1]
Paper Input (std / max)	251 / 251 sheets	300 / 850 sheets	700 / 2,350 sheets	700 / 2,350 sheets	700 / 3,250 sheets	700 / 3,250 sheets	1,100 / 4,100 sheets
Paper Output (std / max)	150 sheets	150 sheets	250 sheets	250 sheets	500 sheets (without finishing options)	500 sheets (without finishing options)	500 / 4,000 sheets
Media Sizes	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3.5 x 3.87 to 11.7 x 17 in.
Media Weights	60-220 gsm	60-220 gsm	60-216 gsm	60-220 gsm	60-220 gsm	60-220 gsm	60-215 gsm
Networking Connectivity	Wi-Fi b/g/n, High Speed USB 2.0	10/100/1000 Base-T Ethernet, USB 2.0 (front and rear ports), Wi-Fi	10/100/1000Base-T Ethernet, USB 2.0, optional Wi-Fi	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	10/100/1000Base-TX Ethernet[1], USB 2.0, Parallel
Page Description Languages	PCL 5e and 6 emulations, PostScript® 3™ emulation	Adobe® PostScript® 3™ compatible, PCL® 5e, 6, PDF Direct, TIFF, JPEG	PostScript 3 emulation, PCL 6/5e emulations, PDF emulation	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	Adobe PostScript 3, PCL 6/5e emulation, Direct PDF (with optional hard drive)
Productivity Options[1]		550-sheet tray	550-sheet tray, Stand, Productivity Kit (512 MB RAM Memory), Productivity Kit (4 GB Device Memory), Wireless Networking Adapter	550-sheet tray, Stand, Productivity Kit with 16 GB SSD, Wireless Network Adapter, RFID Kit	Up to four 550-sheet trays, High Capacity Feeder[1], Cabinet, Casters, Wireless Network Adapter, Productivity Kit with 250 GB HDD, RFID Kit, Finisher[1], Mailbox[1]	Up to four 550-sheet trays, High Capacity Feeder[1], Cabinet, Casters, Wireless Network Adapter, Productivity Kit with 250 GB HDD, RFID Kit, Finisher[1], Mailbox[1]	Productivity Kit with hard drive*, 1,000-sheet feeder, 2,000-sheet feeder, Stacker, Finisher, Wireless Network Adapter
Print Technology	Laser	Laser	Laser	Laser	Laser	Laser	Laser
Warranty	One-year quick-exchange, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year depot warranty, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee

[1] Standard on certain configurations or available as an option.
[2] Printing from USB.
* Hard drive enables additional functionality including Personal/Proof/Secure/Saved print and collation printing.
** Xerox® Color Corrections: Automatic, SWOP, Euroscale, Commercial Press, SNAP Press, Japan Color, ISO Coated, ISO Uncoated, sRGB Display, sRGB Vivid, LCD Display.

Color Multifunction Printers

LETTER











	Xerox® WorkCentre® 6027	Xerox® WorkCentre® 6515	Xerox® VersaLink® C405	Xerox® WorkCentre® 6655i	Xerox® VersaLink® C505
Performance Engine Speed (up to)	18 ppm color 18 ppm black	30 ppm color 30 ppm black	36 ppm color 36 ppm black	36 ppm	45 ppm color 45 ppm black
Memory (std / max)	512 MB	2 GB / 2 GB	2 GB / 2 GB	4 GB / 4 GB	4 GB
Processor	525 MHz	733 MHz	1.05 GHz Dual-core	1 GHz Dual-core	1.05 GHz Dual-core
Duty Cycle (max)	30,000 pages/month	50,000 pages/month	80,000 pages/month	100,000 pages/month	120,000 pages/month
Recommended Monthly Print Volume	Up to 1,500 pages	Up to 3,000 pages	Up to 5,000 pages	Up to 10,000 pages	Up to 8,000 pages
Print Resolution	1200 x 2400 dpi enhanced image quality	1200 x 2400 dpi	600 x 600 x 8 dpi (enhanced)	2400 x 600 dpi	1200 x 2400 dpi
Page Description Languages	PostScript 3 compatible, PCL® 5c, 6, PDF Direct	Adobe® PostScript® 3™, PCL 5e, 6, PDF, TIFF	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	Adobe PostScript 3, PDF, PCL 5c / PCL 6, XPS	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3
Connectivity	10/100Base-TX Ethernet, Wi-Fi b/g/n, Wi-Fi Direct, High speed USB 2.0	10/100/1000Base-T Ethernet, Wi-Fi 802.11n[1], Wi-Fi Direct[1], USB 3.0	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	10/100/1000Base-T Ethernet, High Speed USB 2.0, Wi-Fi Direct with Optional USB Wireless Adapter	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair
Copy Resolution (max)	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi	600 x 400 dpi
First-copy-out Time (as fast as)	30 seconds color 20 seconds black	12 seconds color 12 seconds black	10 seconds color 8 seconds black	16 seconds color 15 seconds black	7 seconds color 5 seconds black
Fax Speed	33.6 Kbps	33.6 Kbps	33.6 Kbps	33.6 Kbps	33.6 Kbps
Resolution (max)	406 x 392 dpi	400 x 400 dpi	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
Scan Resolution (max)	600 x 600 dpi (via User Interface); 1200 x 1200 dpi (via TWAIN)	600 x 600 dpi (optical)	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
Scan Destinations	Scan to Network Computer (SMB/ FTP), Email, WSD, Application (TWAIN USB/ Network), WIA (USB/WSD Scan), Mac 10.6 or later (USB/ Network/MacICA), USB	Email, Network, USB Memory Device, WSD, Application, WIA, Mac 10.9 or later, Local PC, Network Computer, Multiple Destinations in a Single Scan Job	Scan to USB, Email, Network (FTP or Browse SMB)	Scan to Mailbox; Scan to USB, Scan to Email, Scan to Network; Twain/WIA File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Single Touch Scan, Searchable PDF, Single/Multi-Page PDF/XPS/ TIFF, Encrypted/Password Protected PDF, Linearized PDF/PDF/A	Scan to USB, Email, Network (FTP or Browse SMB)
Paper Handling Document Feeder Type	15-sheet ADF	50-sheet Single-pass DADF	50-sheet Single-pass DADF	60-sheet DADF	100-sheet Single-pass DADF
Two-sided Output	Manual	Automatic[1]	Automatic[1]	Automatic	Automatic
Paper Input (std / max)	150 / 150 sheets	300 / 850 sheets	700 / 1,250 sheets	700 / 1,250 sheets	700 / 3,250 sheets
Media Sizes	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.
Media Weights	60-163 gsm	60-220 gsm	60-220 gsm	60-220 gsm	60-220 gsm
Productivity Options[1]		550-sheet tray, Wireless Network Adapter	550-sheet tray, Stand, Wireless Network Adapter, Productivity Kit with 320 GB HDD, RFID Kit	550-sheet Feeder, Stand, Smart Card Enablement Kit, Wi-Fi Direct with Optional USB Wireless Adapter, McAfee® Integrity Control Enablement Kit	Up to four 550-sheet trays, High Capacity Feeder, Cabinet, Casters, Wireless Network Adapter, Productivity Kit with 250 GB HDD, RFID Kit
Warranty	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee

[1] Standard on certain configurations or available as an option.

Color Multifunction Printers (cont'd)

	LETTER (CONT'D)	TABLOID	
	 ConnectKey® Technology	 ConnectKey® Technology	 ConnectKey® Technology
	Xerox® VersaLink® C605	**Xerox® VersaLink® C7020/C7025/C7030**	**Xerox® AltaLink® C8030/C8035/C8045/C8055/C8070**
Performance Engine Speed (up to)	55 ppm color 55 ppm black	20 / 25 / 30 ppm color 20 / 25 / 30 ppm black	30 / 35 / 45 / 50 / 70 ppm color 30 / 35 / 45 / 55 / 70 ppm black
Memory (std / max)	4 GB / 4 GB	4 GB / 4 GB	2 MB Cache / 8 GB system memory / 2 MB Cache / 8 GB system memory
Processor	1.05 GHz Dual-core	1.05 GHz Dual-core	1.91 GHz Quad-core
Duty Cycle (max)	120,000 pages/month	87,000 / 107,000 / 129,000 pages/month	90,000 / 110,000 / 200,000 / 300,000 / 300,000 pages/month
Recommended Monthly Print Volume	Up to 15,000 pages	Up to 5,500 to 7,000 pages	Up to 5,000 to 40,000 pages
Print Resolution	1200 x 2400 dpi	1200 x 2400 dpi	1200 x 2400 dpi
Page Description Languages	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	PCL 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/optional Adobe PostScript 3	Adobe PostScript 3, PDF, PCL 5c / PCL 6, XPS (optional)
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi and Wi-Fi Direct with optional Wi-Fi Kit, NFC Tap-to-Pair	10/100/1000Base-T Ethernet, USB 2.0 Direct Print, Wi-Fi Direct with Optional USB Wireless Adapter, NFC Tap-to-Pair
Copy Resolution (max)	600 x 400 dpi	600 x 600 dpi	600 x 600 dpi
First-copy-out Time (as fast as)	7 seconds color 5 seconds black	9.0 / 9.0 / 7.2 seconds color 6.9 / 6.9 / 5.8 seconds black	8.1 / 8.1 / 7.8 / 7.2 / 5.2 seconds color 6.7 / 6.7 / 6.4 / 5.7 / 4.9 seconds black
Fax Speed	33.6 Kbps	33.6 Kbps[1]	33.6 Kbps
Resolution (max)	600 x 600 dpi	600 x 600 dpi[1]	400 x 200 dpi
Scan Resolution (max)	600 x 600 dpi	600 x 600 dpi[1]	600 x 600 dpi
Scan Destinations	Scan to USB, Email, Network (FTP or Browse SMB)	Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF, Optical Character Recognition (OCR)	Scan to USB / Email / Network (FTP/SMB); File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF / XPS / TIFF, Password Protected PDF, Unified Address Book, Optical Character Recognition (OCR)
Paper Handling Document Feeder Type	100-sheet Single-pass DADF	110-sheet DADF	130-sheet single-pass DADF
Two-sided Output	Automatic	Automatic	Automatic
Paper Input (std / max)	700 / 3,250 sheets	620 / 5,140 sheets	2,180 / 5,140 sheets
Media Sizes	3 x 5 to 8.5 x 14 in.	3.5 x 3.9 to 11.7 x 17 in.	3.5 x 3.9 to 12.6 x 19 in.
Media Weights	60-220 gsm	60-256 gsm	60-300 gsm
Productivity Options[1]	Up to four 550-sheet trays, High Capacity Feeder, Cabinet, Casters, Wireless Network Adapter, Productivity Kit with 250 GB HDD, RFID Kit, Finisher, Mailbox	320 GB HDD (optional on Desktop model), Single Tray Module, Single Tray Module with Stand, Three Tray Module, High Capacity Tandem Tray Module, 2,000-sheet High Capacity Feeder, Envelope Tray, Integrated Office Finisher, Office Finisher LX, Convenience Stapler and Work Surface, Walk up Fax (One- or Two-line options, optional Fax over IP Kit, includes LAN Fax), Wi-Fi Direct with Optional USB Wireless Adapter, RFID Kit	High Capacity Feeder (HCF), Envelope Tray, Integrated Office Finisher, Office Finisher LX, Booklet Maker for Office Finisher LX, Hole Punch for Office Finisher LX, Convenience Stapler, Smart Card, Enablement Kit, Xerox® EX-c C8000 Print Server Powered by Fiery® , Walk up Fax (One- or Two-line options, includes LAN Fax), Wi-Fi Direct with Optional USB Wireless Adapter, XPS Print Option Kit, McAfee® Integrity Control Enablement Kit
Warranty	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	90-day on-site, Xerox Total Satisfaction Guarantee	90-day on-site, Xerox Total Satisfaction Guarantee

[1] Standard on certain configurations or available as an option.

Black-and-white Multifunction Printers

LETTER

ConnectKey® Technology

ConnectKey® Technology







	Xerox® WorkCentre® 3215/3225	Xerox® WorkCentre® 3335	Xerox® WorkCentre® 3345	Xerox® VersaLink® B405	Xerox® WorkCentre® 3655i
Performance Engine Speed (up to)	27 / 29 ppm	35 ppm	42 ppm	47 ppm	47 ppm
Memory (std / max)	256 MB / 256 MB	1 GB / 1 GB	1 GB / 1 GB	2 GB / 2 GB	2 GB / 2 GB
Processor	600 MHz	1 GHz	1 GHz	1.05 GHz Dual-core	1 GHz Dual-core
Duty Cycle (max)	30,000 page/month	50,000 pages/month	80,000 pages/month	110,000 pages/month	150,000 pages/month
Recommended Monthly Print Volume	Up to 3,000 / 4,000 pages	Up to 4,000 pages	Up to 6,000 pages	Up to 12,000 pages	Up to 15,000 pages
Print Resolution	600 x 600 dpi (Up to 4800 x 600 enhanced image quality)	Up to 1200 x 1200 dpi image quality	Up to 1200 x 1200 dpi image quality	1200 x 1200 dpi (enhanced)	1200 x 1200 dpi
Page Description Languages	PCL 5e and 6 emulations, PostScript 3 emulation	Adobe® PostScript® 3™ compatible, PCL® 5e, 6, PDF Direct, TIFF, JPEG	Adobe® PostScript® 3™ compatible, PCL® 5e, 6, PDF Direct, TIFF, JPEG	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	Adobe PostScript 3, PDF, PCL 5c / PCL 6, XPS
Connectivity	10/100Base-T Ethernet, Wi-Fi b/g/n, High Speed USB 2.0	10/100/1000Base-T Ethernet, USB 2.0 (front and rear ports), Wi-Fi	10/100/1000Base-T Ethernet, USB 2.0 (front and rear ports), Wi-Fi	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	10/100/1000Base-T Ethernet, High Speed USB 2.0 Direct Print, Wi-Fi Direct with Optional USB Wireless Adapter
Copy Resolution (max)	Up to 1200 x 1200 enhanced image quality	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
First-copy-out Time (as fast as)	10 seconds	13 seconds	13 seconds	6 seconds	12 seconds
Fax Speed	33.6 Kbps	33.6 Kbps	33.6 Kbps	33.6 Kbps	33.6 Kbps
Resolution (max)	300 x 300 dpi	300 x 300 dpi	300 x 300 dpi	600 x 600 dpi	600 x 600 dpi
Scan Resolution (max)	4800 dpi enhanced	4800 dpi enhanced	4800 dpi enhanced	600 x 600 dpi	600 x 600 dpi
Scan Destinations	PC, WSD, Email	Network Computer, Email, WSD, Application, WIA, Mac® 10.9 or later (USB/Network/ Mac ICA), USB	Network Computer, Email, WSD, Application, WIA, Mac® 10.9 or later (USB/Network/ Mac ICA), USB	Scan to USB, Email, Network (FTP or Browse SMB)	Scan to Mailbox; Scan to USB, Scan to Email, Scan to Network; Twain/WIA File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Single Touch Scan, Searchable PDF, Single/Multi-Page PDF/ XPS/TIFF, Encrypted/Password Protected PDF, Linearized PDF/ PDF/A
Paper Handling Document Feeder Type	40-sheet ADF	50-sheet ADF	50-sheet RADF	60-sheet RADF	60-sheet DADF
Two-sided Output	Automatic[1]	Automatic	Automatic	Automatic	Standard
Paper Input (std / max)	251 / 251 sheets	300 / 850 sheets	300 / 850 sheets	700 / 2,350 sheets	700 / 2,350 sheets
Media Sizes	3 x 5 to 8.5 x 14 in.	3 x 5 in. to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.
Media Weights	60-220 gsm	60-220 gsm	60-220 gsm	60-220 gsm	60-216 gsm
Productivity Options[1]		550-sheet tray	550-sheet tray	550-sheet tray, Stand, Productivity Kit with 16 GB SSD, Wireless Network Adapter, RFID Kit	550-sheet Feeder, Stand, Smart Card Enablement Kit, Wi-Fi Direct with Optional USB Wireless Adapter, McAfee® Integrity Control Enablement Kit
Warranty	One-year depot, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year depot, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year depot, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee

[1] Standard on certain configurations or available as an option.

Black-and-white Multifunction Printers (cont'd)

LETTER (CONT'D)





TABLOID





	Xerox® VersaLink® B605	Xerox® VersaLink® B615	Xerox® VersaLink® B7025/B7030/B7035	Xerox® AltaLink® B8045/B8055/B8065/B8075/B8090
Performance Engine Speed (up to)	58 ppm	65 ppm	25 / 30 /35 ppm	45 / 55 / 65 / 75 / 90 ppm
Memory (std / max)	2 GB / 2 GB	2 GB / 2 GB	2 GB / 2 GB	4 GB / 4 GB
Processor	1.05 GHz Dual-core	1.05 GHz Dual-core	1.05 GHz Dual-core	1.8 GHz Quad-core
Duty Cycle (max)	250,000 pages/month	275,000 pages/month	107,000 / 129,000 / 153,000 pages/ month	175,000 / 200,000 / 250,000 / 300,000 / 400,000 pages/month
Recommended Monthly Print Volume	Up to 20,000 pages	Up to 25,000 pages	13,000 / 15,000 / 17,000 pages/ month	Up to 15,000 to 150,000 pages
Print Resolution	1200 x 1200 dpi	1200 x 1200 dpi	1200 x 1200 dpi	1200 x 1200 dpi, 256 shades of gray
Page Description Languages	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	PCL 5e/PCL 6/PDF/XPS/TIFF/JPEG/ HP-GL/optional Adobe PostScript 3	Adobe PostScript 3, PDF, PCL 5c / PCL 6, XPS (optional)
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi and Wi-Fi Direct with optional Wi-Fi Kit, NFC Tap-to-Pair	10/100/1000Base-T Ethernet, High Speed USB 2.0 Direct Print, Wi-Fi Direct with Optional USB Wireless Adapter, NFC Tap-to-Pair
Copy Resolution (max)	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
First-copy-out Time (as fast as)	5.8 seconds	5.4 seconds	6.8 / 5.4 / 5.4 seconds	B8045/B8055: 3.8 seconds from the platen/7.4 seconds from the DADF B8065: 3.3 seconds from the platen/7.2 seconds from the DADF B8075: 2.9 seconds from the platen/6.9 seconds from the DADF B8090: 4.9 seconds from the platen/8.7 seconds from the DADF
Fax Speed	33.6 Kbps	33.6 Kbps	33.6 Kbps	33.6 Kbps
Resolution (max)	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi	400 x 200 dpi
Scan Resolution (max)	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
Scan Destinations	Scan to USB, Email, Network (FTP or Browse SMB)	Scan to USB, Email, Network (FTP or Browse SMB)	Scan to USB/Email/Network (FTP/ SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/ Multi-Page PDF/XPS/TIFF/Password Protected PDF, Optical Character Recognition (OCR)	Scan to USB / Email / Network (FTP/ SMB); File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/ Multi-Page PDF / XPS / TIFF, Password Protected PDF, Unified Address Book, Optical Character Recognition (OCR)
Paper Handling Document Feeder Type	100-sheet single-pass DADF	100-sheet single-pass DADF	110-sheet DADF	200-sheet single-pass DADF
Two-sided Output	Automatic	Automatic	Automatic	Automatic
Paper Input (std / max)	700 / 3,250 sheets	700 / 3,250 sheets	620 / 5,140 sheets	4,700 / 8,000 sheets
Media Sizes	3 x 5 in. to 8.5 x 14 in.	3 x 5 in. to 8.5 x 14 in.	3.5 x 3.87 to 11.69 x 17 in.	4.25 x 5.5 to 11 x 17 in.
Media Weights	60-220 gsm	60-220 gsm	60-256 gsm	60-216 gsm
Productivity Options[1]	Up to four 550-sheet trays, High Capacity Feeder[1], Cabinet, Casters, Wireless Network Adapter, RFID Kit, Finisher[1], Mailbox[1]	Up to four 550-sheet trays, High Capacity Feeder[1], Cabinet, Casters, Wireless Network Adapter, RFID Kit, Finisher[1], Mailbox[1]	320 GB HDD (optional on Desktop model), Single Tray Module, Single Tray Module with Stand, Three Tray Module, High Capacity Tandem Tray Module, 2,000-sheet High Capacity Feeder, Envelope Tray, Integrated Office Finisher, Office Finisher LX, Convenience Stapler and Work Surface, Walk up Fax (One- or Two-line options, optional Fax over IP Kit, includes LAN Fax), Wi-Fi Direct with Optional USB Wireless Adapter, RFID Kit	High Capacity Feeder (HCF), HCF Kits, Envelope Tray, Offset Catch Tray, Office Finisher, Office Finisher with Booklet Maker, High Volume Finisher (HVF), HVF with Booklet Maker, C-Fold/ Z-Fold Unit for HVF, Post Process Inserter for HVF, Convenience Stapler, Smart Card, Enablement Kit, Walk up Fax (One- or Two-line options, includes LAN Fax), Wi-Fi Direct with Optional USB Wireless Adapter, XPS Print Option Kit, Keyboard Kit, McAfee® Integrity Control Enablement Kit
Warranty	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	90-day on-site, Xerox Total Satisfaction Guarantee	90-day on-site, Xerox Total Satisfaction Guarantee

[1] Standard on certain configurations or available as an option.

For more information about our family of Xerox® office printers and multifunctions, see your Xerox® reseller or visit **www.xerox.com/office**.

©2017 Xerox Corporation. All rights reserved. Xerox®, Xerox and Design®, AltaLink®, ColorQube®, ConnectKey®, Phaser®, PhaserMatch®, Scan to PC Desktop®, VersaLink®, WorkCentre® and Xerox eConcierge® are trademarks of Xerox Corporation in the United States and/or other countries. Contents of this publication may not be reproduced in any form without permission of Xerox Corporation. The information in this brochure is subject to change without notice. Updated 10/17 BR21662 OPBDS-01UM